+61 2 8708 1510 sales@alluva.com.au Australia Wide

Alluva

OPENING ROOF SYSTEMS

Custom Made for Your Space

Designed for Australian Outdoor Lifestyle

alluva.com.au

— QUALITY PRODUCT

Engineered for Australian Conditions. Backed By Decades of Experience.

Alluva Opening Roof Systems is a proudly independent brand delivering premium outdoor solutions across Australia. Our mission is simple: to make high-performance, architecturally refined opening roofs accessible to more people — whether you're a homeowner, builder, or designer.

Crafted from 100% aluminium, our systems are built to endure Australia's harshest climates — from coastal zones to high-humidity regions. With sleek styling, motorised control, and optional smart features, Alluva Opening Roof Systems combines durability with everyday comfort.

38+
Years in Business

— PREMIUM FEATURES

Smart Automation. Durable Materials. DIY Kits Delivered Nationwide.

Alluva Opening Roof Systems are designed for flexibility — whether you're installing them yourself or working with a builder. Each kit is made to measure and includes everything you need for a smooth installation. Need help with installation? We're happy to connect you with a trusted local builder.

DIY Installation Kits

- Australia-wide delivery
- Easy assembly guide
- All parts included
- DIY-friendly design

Custom-made to Measure

100% Aluminium

- Rust-proof and weather-resistant
- Engineered for long-term durability
- Lightweight, strong, easy to install
- Ideal for coastal and high-humidity zones

Motorised Louvres

- Remotely adjust airflow and sunlight
- Rain sensors for automatic closure
- Whisper-quiet motor operation
- Stay comfortable all year round

— UNIQUE DESIGN

Sleek Profile. 170° Louvre Rotation. Efficient Louvre and Gutter Layout.



Alluva
OPENING ROOF SYSTEMS

NOTE: LOUVRES CAN BE ROTATED TO ANY POSITION BETWEEN CLOSED AND FULLY ROTATED







PLAN VIEW

100+
Premium Colour Options

PRODUCT SPECIFICATIONS

Alluva Opening Roof Systems Aluminium Structure Specifications

Component	Size / Material / Finish / Length
Posts	100mm & 140mm Square, 3mm wall thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 5.5m, 6.5m
Beams	200x50, 250x50, 300x50, 3mm wall thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 4m, 5m, 6.5m, 7.4m, 8m
Gutters	150x35mm, 200x50mm. Up to 2mm wall thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 4m, 5m, 6.5m, 7.4m
Louvre Track	35x50mm. 2mm wall thickness. Includes inbuilt splash guard / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 4m, 6.5m
Louvre	150x35mm, Up to 2mm wall thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 2.7m, 3.3m, 3.9m, 4.2m
Louvre Pins	12mm / Stainless Steel with Teflon sleeve / Stainless Steel
Drive Bar	25mm solid 12mm thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 4m, 6.5m
Drainage	80mm & 90mm / PVC / Various with variety of fittings / 3m

DULUX DURALLOY

Available in more than 100 colours to suit all designs.
10-year warranty on durability, chalk, and colour fade.

DULUX DURATEC

Available in a variety of colours and textures.
20-year warranty on durability and colour — excellent for seaside locations.

DECOWOOD

Available in over 30 colours, offering the natural beauty of timber with the durability of aluminium.
12-year warranty as per AS3715.

PRODUCT SPECIFICATIONS

Alluva Opening Roof Systems Automation Control Specifications

Component	Power / Rating / Finish / Specification
Motor	24v DC High Torque / IP 67 / Stainless Steel / Operates up to 25 square metres
Lights	24v, 3 watt, 42/48mm / IP 56 / Anodised Clear, Anodised Black / Various connections
Automation	24v, with transformer / Multifunction control settings / Remote Control / Control up to 2 opening bays with 36 lights
Rain Sensor	24v / IP 65 / Plastic / Sensitivity programming available
Remote Control	White / up to 42 channel

Installation Options

Installation Your Way

Choose the approach that suits your project, timeline, and expertise. Whether you're hands-on, working with a local builder, or prefer our certified team — Alluva Opening Roof Systems adapts to how you build.

1 — DIY INSTALLATION

Install it yourself — with our guidance, Alluva Opening Roof Systems makes self-installation simple for the confident hands-on owner.

- Step-by-step manual included
- Clear instructions
- Support available if needed
- No extra cost

2 — YOUR LOCAL BUILDER

Work with someone you trust — your builder uses our resources, and we're here to back them up.

- Builder-ready install guides
- Remote assistance for builders
- Flexible scheduling
- Builder quote required

3 — OUR CERTIFIED BUILDER

Installed by us — maximum convenience with Alluva Opening Roof Systems' certified experts. Australia wide.

- End-to-end installation
- Available Australia wide
- Precise, reliable workmanship
- Custom quote

Alluva
OPENING ROOF SYSTEMS

+61 2 8708 1510 sales@alluva.com.au Australia Wide

Unit 3, 1 Reaghs Farm Rd, Minto NSW 2566 alluva.com.au