

Alluva

OPENING ROOF SYSTEMS



Custom Made for Your Space

Designed for Australian
Outdoor Lifestyle

— QUALITY PRODUCT

Engineered for Australian Conditions. Backed By Decades of Experience.



Alluva Opening Roof Systems is a proudly independent brand delivering premium outdoor solutions across Australia. Our mission is simple: to make high-performance, architecturally refined opening roofs accessible to more people — whether you're a homeowner, builder, or designer.

Crafted from 100% aluminium, our systems are built to endure Australia's harshest climates — from coastal zones to high-humidity regions. With sleek styling, motorised control, and optional smart features, Alluva Opening Roof Systems combines durability with everyday comfort.

38+
Years in
Business

— PREMIUM FEATURES

Smart Automation. Durable Materials. DIY Kits Delivered Nationwide.

Alluva Opening Roof Systems are designed for flexibility — whether you're installing them yourself or working with a builder. Each kit is made to measure and includes everything you need for a smooth installation. Need help with installation? We're happy to connect you with a trusted local builder.

DIY Installation Kits

- ✓ Australia-wide delivery
- ✓ Easy assembly guide
- ✓ All parts included
- ✓ DIY-friendly design

**Custom-made
to Measure**

100% Aluminium


- ✓ Rust-proof and weather-resistant
- ✓ Engineered for long-term durability
- ✓ Lightweight, strong, easy to install
- ✓ Ideal for coastal and high-humidity zones

Motorised Louvres




- ✓ Remotely adjust airflow and sunlight
- ✓ Rain sensors for automatic closure
- ✓ Whisper-quiet motor operation
- ✓ Stay comfortable all year round

— UNIQUE DESIGN

Sleek Profile. 170° Louvre Rotation. Efficient Louvre and Gutter Layout.



NOTE: LOUVRES CAN BE ROTATED TO ANY POSITION BETWEEN CLOSED AND FULLY ROTATED



100+
Premium
Colour
Options

— PRODUCT SPECIFICATIONS

Alluva Opening Roof Systems Aluminium Structure Specifications

Component	Size / Material / Finish / Length
Posts	100mm & 140mm Square, 3mm wall thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 5.5m, 6.5m
Beams	200x50, 250x50, 300x50, 3mm wall thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 4m, 5m, 6.5m, 7.4m, 8m
Gutters	150x35mm, 200x50mm. Up to 2mm wall thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 4m, 5m, 6.5m, 7.4m
Louvre Track	35x50mm. 2mm wall thickness. Includes inbuilt splash guard / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 4m, 6.5m
Louvre	150x35mm, Up to 2mm wall thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 2.7m, 3.3m, 3.9m, 4.2m
Louvre Pins	12mm / Stainless Steel with Teflon sleeve / Stainless Steel
Drive Bar	25mm solid 12mm thickness / Aluminium 6060 T5 / Dulux Duralloy & Duratec, Decowood / 4m, 6.5m
Drainage	80mm & 90mm / PVC / Various with variety of fittings / 3m

— DULUX DURALLOY

Available in more than 100 colours to suit all designs.
10-year warranty on durability, chalk, and colour fade.

— DULUX DURATEC

Available in a variety of colours and textures.
20-year warranty on durability and colour —
excellent for seaside locations.

— DECOWOOD

Available in over 30 colours, offering the natural beauty of timber with the durability of aluminium.
12-year warranty as per AS3715.



— PRODUCT SPECIFICATIONS

Alluva Opening Roof Systems Automation Control Specifications

Component	Power / Rating / Finish / Specification
Motor	24v DC High Torque / IP 67 / Stainless Steel / Operates up to 25 square metres
Lights	24v, 3 watt, 42/48mm / IP 56 / Anodised Clear, Anodised Black / Various connections
Automation	24v, with transformer / Multifunction control settings / Remote Control / Control up to 2 opening bays with 36 lights
Rain Sensor	24v / IP 65 / Plastic / Sensitivity programming available
Remote Control	White / up to 42 channel



Installation Options

Installation Your Way

Choose the approach that suits your project, timeline, and expertise. Whether you're hands-on, working with a local builder, or prefer our certified team — Alluva Opening Roof Systems adapts to how you build.

1

— DIY INSTALLATION

Install it yourself — with our guidance, Alluva Opening Roof Systems makes self-installation simple for the confident hands-on owner.

- ✓ Step-by-step manual included
- ✓ Clear instructions
- ✓ Support available if needed
- ✓ No extra cost

2

— YOUR LOCAL BUILDER

Work with someone you trust — your builder uses our resources, and we're here to back them up.

- ✓ Builder-ready install guides
- ✓ Remote assistance for builders
- ✓ Flexible scheduling
- ✓ Builder quote required

3

— OUR CERTIFIED BUILDER

Installed by us — maximum convenience with Alluva Opening Roof Systems' certified experts. Australia wide.

- ✓ End-to-end installation
- ✓ Available Australia wide
- ✓ Precise, reliable workmanship
- ✓ Custom quote



Alluva
OPENING ROOF SYSTEMS

📞 +61 2 8708 1510

✉️ sales@alluva.com.au

🚚 Australia Wide

Unit 3, 1 Reaghs Farm Rd, Minto NSW 2566

alluva.com.au